



Centricity Healthcare
User Group

Linking Centricity EMR to the World!

It is way more powerful and easy
than you may have thought



Centricity Healthcare
User Group

Presenters

- **Jim Lawhon**
 - The Austin Diagnostic Clinic
- **Lee Cooper**
 - Logical Innovations, LLC
- **David Erickson**
 - Lost Creek Consulting



Centricity Healthcare
User Group

Jim Lawhon

- EMR Analyst
- Supported ClinicaLogic, Logician & Centricity since 1994
- Past president of CHUG



Centricity Healthcare
User Group

Lee Cooper

- Logical Innovations, LLC
- Consultant
- Clinical Content Developer
- Advanced Forms Designer
- MEL Master



Centricity Healthcare
User Group

David Erickson

- President and Integration Consultant
- Lost Creek Consulting
- Specialist in Centricity Integration
 - MedicaLogic – 3 years (EMR)
 - HealthCo – 7 years (EMR & PM)
 - Lost Creek Consulting – 5 years



Centricity Healthcare
User Group

Methods of Integration

- File I/O
- RunShellOpen
- RunProcess
- RunTextProcess
- Interfaces (LabLink, LinkLogic)
- Querying CEMR database



Centricity Healthcare
User Group

File I/O

- FileOpen
- FileRead
- FileWrite
- FileClose
- FileCopy
- FileDelete



Centricity Healthcare
User Group

RunShellOpen

- `RUNSHELLOPEN(file, argStr, dirStr)`
 - Use forward slashes in the `dirStr`
- Good for launching
 - web browser
 - pdf files
 - Image files
- Uses default Windows file associations unless otherwise specified in the argument string.



Centricity Healthcare
User Group

RunProcess

- `RUNPROCESS(progname, argStr, goodStr, badStr)`
 - Invokes the DOS CMD window
 - Do not use carriage returns in strings
 - Interpreted as end of command
- Not preferred – but will launch programs
- Often used for launching websites.
- Uses default Windows file associations unless otherwise specified in the argument string.



Centricity Healthcare
User Group

RunTextProcess

- RUNTEXTPROCESS(progname, argStr)
 - Invokes the DOS RUN command (no window) to run an external program
 - Use forward slashes in paths
 - Appends the argument pair "/o tmpfile" to the user specified argument string
 - The file specified with the /o switch is where the external program must write the data
 - Uses the Windows tempName function, which is guaranteed to be unique even when running on a Citrix server



Centricity Healthcare
User Group

Example applications

- CDC Immunization Scheduler
- Immunization Reconciler
- HIE Integration
- PMAO Preload



Centricity Healthcare
User Group

Example apps

- CDC Immunization Scheduler
 - Utilization of Data Symbols and Obsterms
 - Write an external file
(FileOpen/FileWrite/FileClose)
 - RunShellOpen
 - Launch a External Program
 - FileDelete



Centricity Healthcare
User Group

Example apps

- Immunization Reconciler
 - RunTextProcess
 - Run web queries
 - Return data to program
 - Return data to CEMR



Centricity Healthcare
User Group

Example apps

- HIE Integration
 - RunTextProcess
 - Run SOAP queries
 - Return data to program
 - Return data to CEMR



Centricity Healthcare
User Group

Example apps

- PMAO preload
 - RunTextProcess
 - Run SQL queries
 - Return data to program
 - Return data to CEMR



Centricity Healthcare
User Group

Questions?